


Fences Types

Cattle Fences

RECOMMENDED

4 to 5 strand Barb Wire fences
Woven Wire fences with 1 or more barb wire strands above the Woven Wire
Wire Panel fences
Heavyweight and Extra-Heavyweight wire
Clearly visible fences
Minimum fence height: 60"




Horse Fences

RECOMMENDED

Square Knot Woven Wire horse fences with less than 4" openings
Heavyweight and Extra-Heavyweight wire
Clearly visible fences
Minimum fence height: 48"

NOT RECOMMENDED

Barb Wire fences
High-Tensile Wire fences




Sheep and Goat Fences

RECOMMENDED

Woven Wire fences for non-horned sheep and goats
Mesh Wire fences for non-horned sheep and goats
Heavyweight and Extra-Heavyweight wire
Minimum fence height: 39"

NOT RECOMMENDED

Barb Wire fences
Temporary fencing




Hog Fences

RECOMMENDED

Woven Wire fences with 1 or more barb wire strands along the ground
Small openings between the woven wires
Fences built close to the ground
Medium and Heavyweight wire
Maximum fence height: 54"

NOT RECOMMENDED

Barb Wire fences
Cable fences



Wire Basics

Wire Types

HIGH TENSILE

With approximately 0.28% carbon content, high tensile wire is significantly stronger and longer lasting than low carbon wire.

LOW CARBON

Low Carbon wire is made from steel rod of approximately 0.10% carbon content. This wire is easy to work with and fairly forgiving. Products that are not labeled as High Tensile use Low Carbon wire.

Wire Coatings

BEZINAL

95% Zinc + 5% Aluminum

2-3 times more corrosion resistant than zinc wire with same coating weight

CLASS 3

0.80 oz. of zinc/ft²

Meets or exceeds ASTM A 121, A 116, and A 641

More than 2.5 times thicker than Class 1 coating

CLASS 1

0.28 oz. of zinc/ft²

Commonly used to coat low carbon wire

Industry standard

COMMERCIAL

Zinc coating with no minimum ASTM coating weight

Commonly used on welded wires, poultry netting, and hardware cloth.

Lowest grade

- 9 gauge
- 10 gauge
- 11 gauge
- 12-1/2 gauge
- 14 gauge
- 14-1/2 gauge
- 16 gauge
- 17 gauge
- 18 gauge
- 20 gauge

Barb Wire and Electric Wire

ELECTRIC WIRE

Consists of one strand of smooth, conductive wire


BARB WIRE

Consists of two strands of wire twisted together with barbs evenly spaced.

Comes in 2 point barbs or 4 point barbs

BARBLESS WIRE

Consists of one strand of smooth wire




Woven Wire and Welded Wire

Woven Wire

1047 - 6 - 12-1/2 ga.


horizontal line wire quantity roll height distance between vertical wires (stays) wire gauge



Welded Wire

2" x 4" x 48"

mesh width mesh height roll height




Knot Types for Woven Wire

HINGE KNOT
The Hinge Knot stretches and gives, allowing it to absorb animal impact without damage. Uniform crimps keep the hinge knot fence tight under strain.

SQUARE KNOT
Square Knot woven wire has extra vertical strength to withstand heavy impact. The knot construction is smooth to prevent snags and cuts.

FIXED KNOT
The Fixed Knot uses solid vertical stay wires to allow for increased post spacing. The knot cannot come apart under pressure, making it highly resistant to impact. Uniform crimps keep the hinge knot fence tight under strain.




High Tensile Electric Fence Wire / Steel

Single cartons

DESCRIPTION	PART NO	GAUGE	FT PER COIL	WEIGHT EA.	NOTES
170,000 PSI Class 3	011274	12-1/2	4000'	100.00	
200,000 PSI Class 3	011276	12-1/2	4000'	100.00 lb	
170,000 PSI A05 Spec	011275	12-1/2	4000'	100.00 lb	

NOTE: Lengths are approximate



Electric Fence Wire - Import / Steel

Coils per pallet: 5

DESCRIPTION	PART NO	GAUGE	FT PER COIL	WEIGHT EA.	NOTES
17 ga. 1/4 Mile	011519	17	1320'	10.12	
17 ga. 1/2 Mile	011520	17	2640'	20.25	
14 ga. 1/4 Mile	011521	14	1320'	48.00	
14 ga. 1/2 Mile	011522	14	2640'	96.00	

NOTE: Lengths are approximate.



High Tensile Barb Wire - Domestic / Class 3 Galvanized • Meets ASTM A 121

Reels per pallet: 27

DESCRIPTION	PART NO.	QTY PER REEL	WEIGHT EA.	NOTES
2 pt. 15-1/2 ga. 5" Barb Spacing	011592	1320'	42.00 lb	
4 pt. 15-1/2 ga. 5" Barb Spacing	013499	1320'	45.00	
4 pt 15-1/2 ga. 3" Barb Spacing	408W00	1320'	80.00 lb	



Barb Wire - Domestic / Class 3 Galvanized • Meets ASTM A 121

Reels per pallet: 27

DESCRIPTION	PART NO.	QTY PER REEL	WEIGHT EA.	NOTES
2 pt. 12-1/2 ga. 4" Barb Spacing	011591	1320'	83.00 lb	
4 pt. 12-1/2 ga. 5" Barb Spacing	013505	1320'	88.00 lb	



Barb Wire, Spec - Domestic / Class 1 Galvanized • Meets ASTM A 121

Reels per pallet: 27

DESCRIPTION	PART NO.	QTY. PER REEL	WEIGHT EA.	NOTES
2 pt. 12-1/2 ga. 4" Barb Spacing	006321	1320'	82.00	
4 pt. 12-1/2 ga. 5" Barb Spacing	013506	1320'	88.00	



Barb Wire, Non-Spec - Domestic / Class 1 Galvanized

Reels per pallet: 27

DESCRIPTION	PART NO.	QTY PER REEL	WEIGHT EA.	NOTES
2 pt. 12-1/2 ga. 5" Barb Spacing Flat Barbs	887Y00	1320'	81.00	
2 pt. 12-1/2 ga. 5" Barb Spacing	013504	1320'	78.00	



Barb Wire, Non-Spec - Domestic / Commercial Galvanized

Reels per pallet: 27

DESCRIPTION	PART NO.	QTY PER REEL	WEIGHT EA.	NOTES
2 pt. 12-1/2 ga.	011593	1320'	68.00	
4 pt. 12-1/2 ga.	013503	1320'	82.00	



Barb Wire, Non-Spec - Import / Commercial Galvanized

Reels per pallet: 27

DESCRIPTION	PART NO.	QTY. PER REEL	WEIGHT EA.	NOTES
2 pt 12-1/2 ga. Flat Barbs	013502	1320'	69.00 lb	
4 pt 12-1/2 ga.	013501	1320'	77.00	



Barbless Wire - Domestic

Reels per pallet: 32

DESCRIPTION	PART NO.	QTY PER REEL	WEIGHT EA.	NOTES
12-1/2 ga. Class 3	011594	1320'	72.00 lb	
12-1/2 ga. Class 1	013534	1320'	62.00	
12-1/2 ga. Commercial	011595	1320'	64.00 lb	



Barbless Wire - Import / Class 1 Galvanized

Reels per pallet: 32

DESCRIPTION	PART NO.	QTY PER REEL	WEIGHT EA.	NOTES
14-1/2 ga.	013532	1320'	44.01	
12-1/2 ga.	013531	1320'	62.00	




High Tensile Field Fence - Hinge Knot / Class 3 Galvanized

Feet per roll: 330

Rolls per pallet: 9

STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
726 - 6 - 14-1/2 ga	056508	26"	7	6"	74.00	
1047 - 6 - 14-1/2 ga.	056587	47"	10	6"	120.00	
1047 - 6 - 12-1/2 ga.	056574	47"	10	6"	151.00	




High Tensile Field Fence - Import - Hinge Knot / Class 3 Galvanized

Feet per roll: 330

Rolls per pallet: 9

STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1047 - 6 - 12-1/2 ga.	011516	47"	10	6"	180.00	




Field Fence - Hinge Knot / Class 3 Galvanized

Feet per roll: 330

Rolls per pallet: 9

STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
832 - 6 - 12-1/2 ga.	056575	32"	8	6"	155.00	
1047 - 6 - 11 ga.	056576	47"	10	6"	190.00	
1047 - 6 - 9 ga.	056560	47"	10	6"	450.00	




Field Fence - Hinge Knot / Class 1 Galvanized

Feet per roll: 330

Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
832 - 6 - 12-1/2 ga.	036180	32"	8	6"	132.00	
939 - 6 - 12-1/2 ga.	056562	39"	9	6"	168.00	
1047 - 6 - 12-1/2 ga.	036178	47"	10	6"	175.00	
1156 - 6 - 12-1/2 ga.	056579	56"	11	6"	237.00	



Field Fence - Domestic - Hinge Knot / Class 1 Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
726 - 6 - 12-1/2 ga.	020628	26"	7	6"	128.00	
832 - 6 - 12-1/2 ga.	020630	32"	8	6"	147.00	
1047 - 6 - 12-1/2 ga.	020634	47"	10	6"	190.00	



Field Fence - Import - Hinge Knot / Class 1 Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
832 - 6 - 12-1/2 ga.	011513	32"	8	6"	132.00	
939 - 6 - 12-1/2 ga.	011514	39"	9	6"	170.00	
1047 - 6 - 12-1/2 ga.	011515	47"	10	6"	120.00	



Field Fence - Hinge Knot / Commercial Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
832 - 6 - 12-1/2 ga.	020674	32"	8	6"	147.00	
939 - 6 - 12-1/2 ga.	020676	39"	9	6"	168.00	
1156 - 6 - 12-1/2 ga.	020680	56"	11	6"	223.00	



Field Fence - Square Knot / Class 1 Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
832 - 6 - 12-1/2 ga.	056506	32"	8	6"	150.00	
939 - 6 - 12-1/2 ga.	056507	39"	9	6"	163.00	
1047 - 6 - 12-1/2 ga.	056535	47"	10	6"	183.00	



Farm Field Fence - Import - Hinge Knot / Class 3 Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1047 - 6 - 14-1/2 ga.	011518	47"	10	6"	93.00	



Farm Field Fence - Hinge Knot / Class 1 Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
939 - 6 - 12-1/2 ga.	036192	39"	9	6"	170.00	



Farm Field Fence - Square Knot / Commercial Galvanized

Feet per roll: 330
Rolls per pallet: 9


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
832 - 6 - 12-1/2 ga.	011368	32"	8	6"	147.00	
939 - 6 - 12-1/2 ga.	011369	39"	9	6"	168.00	
1047 - 6 - 12-1/2 ga.	011370	47"	10	6"	188.00	



High Tensile Farm Field Fence - Fixed Knot / Commercial Galvanized

Feet per roll: 330
Rolls per pallet: 9

STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1047 - 6 - 12-1/2 ga.	011632	47"	10	6"	183.00	
1156 - 6 - 12-1/2 ga.	011633	56"	11	6"	205.00	




High Tensile Farm Coastal Fence - Hinge Knot / Class 3 Galvanized

Feet per roll: 330

Rolls per pallet: 8

STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1047 - 6 - 13 ga.	011273	47"	10	6"	146.00	




High Tensile Farm Coastal Fence - Square Knot / Class 3 Galvanized

Feet per roll: 330

Rolls per pallet: 9

STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1047 - 6 - 13 ga.	011517	47"	10	6"	97.00	




Woven Wildlife and Game Fence

High Tensile Wildlife Fence - Fixed Knot / Beznal Coating

Feet per roll: 330
Rolls per pallet: 6


STYLE	PART NO. BLACK	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
2096 - 6 - 12-1/2 ga.	588V00	96"	20	6"	396.00	



High Tensile Wildlife Fence - Fixed Knot / Class 3 Galvanized

Feet per roll: 330
Single roll

STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1348 - 6 - 12-1/2 ga.	036231	48"	13	6"	240.00	
1561 - 6 - 12-1/2 ga.	036951	61"	15	6"	279.00	
1775 - 6 - 12-1/2 ga.	036239	75"	17	6"	332.00	
2096 - 6 - 12-1/2 ga.	036230	96"	20	6"	414.00	
2096 - 12 - 12-1/2 ga.	036229	96"	20	12"	276.00	




Feet per roll: 660

1348 - 12 - 12-1/2 ga.	011267	48"	13	12"	339.00	
949 - 12 - 12-1/2 ga.	011250	49"	9	12"	260.00	

High Tensile Game Fence - Hinge Knot / Commercial Galvanized

Feet per roll: 330

STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1896 - 6 - 12-1/2 ga.	011634	96"	18	6"	350.00	



Splicing Sleeve for Wildlife Fence / 12-1/2 ga.


STYLE	PART NO.	BOX QTY	WEIGHT EA.	NOTES
Long Sleeve	700Y00	100	1.00	



Sheep and Goat Fence - Hinge Knot / Class 3 Galvanized

Feet per roll: 330
Rolls per pallet: 4


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1348 - 4 - 12-1/2 ga.	012407	48"	13	4"	289.00	



Sheep and Goat Fence - Hinge Knot / 4"W x 4"H Mesh • Class 1 Galvanized

Feet per roll: 330
Rolls per pallet: 4


STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1348 - 4 - 12-1/2 ga.	036028	48"	13	4"	261.00	
1660 - 4 - 12-1/2 ga.	031V00	60"	16	4"	180.00	



Sheep and Goat Fence - Square Knot / Class 1 Galvanized

Feet per roll: 330
Rolls per pallet: 8

STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
1348 - 4 - 12-1/2 ga.	888Y00	48"	13	4"	262.00	



Woven Non-Climb Horse Fence


Non-Climb Horse Fence - Square Knot / 2"W x 4"H Mesh • Bezinial Coating

Feet per roll: 100
Rolls per pallet: 11

STYLE	PART NO.	HEIGHT	HORIZONTAL GAUGE	VERTICAL GAUGE	WEIGHT EA.	NOTES
36"H	011599	36"	10	12-1/2	94.00	
48"H	036184	48"	12-1/2	14	122.00	
60"H	036188	60"	12-1/2	14	151.00	
72"H	036189	72"	12-1/2	14	179.00	

Feet per roll: 200
Rolls per pallet: 6

48"H	011268	48"	10	12-1/2	244.00	
60"H	011269	60"	10	12-1/2	296.00	




Non-Climb Horse Fence - Square Knot / 2"W x 4"H Mesh • Class 3 Galvanized

Feet per roll: 100
Rolls per pallet: 8

STYLE	PART NO.	HEIGHT	HORIZONTAL GAUGE	VERTICAL GAUGE	WEIGHT EA.	NOTES
60"H	011488	60"	10	12-1/2	154.00	

Feet per roll: 200
Rolls per pallet: 4


48"H	011487	48"	10	12-1/2	247.00	
60"H	036195	60"	10	12-1/2	302.00	



Non-Climb Horse Fence - Square Knot / 2"W x 4"H Mesh • Class 1 Galvanized

Feet per roll: 100


STYLE	PART NO.	HEIGHT	HORIZONTAL GAUGE	VERTICAL GAUGE	WEIGHT EA.	NOTES
36"H	011599	36"	10	12-1/2	94.00	



Non-Climb Horse Fence - Square Knot / 2"W x 4"H Mesh • Commercial Galvanized

Feet per roll: 100
Rolls per pallet: 8


STYLE	PART NO.	HEIGHT	HORIZONTAL GAUGE	VERTICAL GAUGE	WEIGHT EA.	NOTES
48"H	011371	48"	10	12-1/2	122.00	
60"H	011372	60"	10	12-1/2	151.00	
70"H	011373	72"	10	12-1/2	179.00	



Utility Welded Wire Fabric - Domestic / 14 ga.

Feet per roll: 50
Rolls per pallet: 16

DESCRIPTION	PART NO.	HEIGHT	MESH SIZE W x H	GAUGE	WEIGHT EA.	NOTES
2" x 4" x 36"	056355	36"	2" x 4"	14	24.00	
2" x 4" x 48"	056360	48"	2" x 4"	14	31.50	
2" x 4" x 60"	056365	60"	2" x 4"	14	39.00	
2" x 4" x 72"	056370	72"	2" x 4"	14	47.00	




Feet per roll: 100
Rolls per pallet: 9

2" x 4" x 36"	036123	36"	2" x 4"	14	41.00	
2" x 4" x 48"	036124	48"	2" x 4"	14	60.00	
2" x 4" x 60"	036125	60"	2" x 4"	14	76.00	
2" x 4" x 72"	036126	72"	2" x 4"	14	89.00	

Utility Welded Wire Fabric - Import / 14 ga.

Feet per roll: 50
Rolls per pallet: 16

DESCRIPTION	PART NO.	HEIGHT	MESH SIZE W x H	GAUGE	WEIGHT EA.	NOTES
2" x 4" x 36"	011492	36"	2" x 4"	14	24.00	
2" x 4" x 48"	011494	48"	2" x 4"	14	31.50	
2" x 4" x 60"	011496	60"	2" x 4"	14	39.00	
2" x 4" x 72"	011498	72"	2" x 4"	14	47.00	




Feet per roll: 100
Rolls per pallet: 9

2" x 4" x 36"	011493	36"	2" x 4"	14	41.00	
2" x 4" x 48"	011495	48"	2" x 4"	14	60.00	
2" x 4" x 60"	011497	60"	2" x 4"	14	76.00	
2" x 4" x 72"	011703	72"	2" x 4"	14	89.00	

Utility Welded Wire Fabric / 12-1/2 ga.

Feet per roll: 50
Rolls per pallet: 16

DESCRIPTION	PART NO.	HEIGHT	MESH SIZE W x H	GAUGE	WEIGHT EA.	NOTES
2" x 4" x 36"	056382	36"	2" x 4"	12-1/2	36.00	
2" x 4" x 48"	056384	48"	2" x 4"	12-1/2	48.00	
2" x 4" x 60"	056386	60"	2" x 4"	12-1/2	59.50	
2" x 4" x 72"	056388	72"	2" x 4"	12-1/2	70.50	




Feet per roll: 100
Rolls per pallet: 9

2" x 4" x 36"	056651	36"	2" x 4"	12-1/2	72.00	
2" x 4" x 48"	056652	48"	2" x 4"	12-1/2	96.00	
2" x 4" x 60"	056653	60"	2" x 4"	12-1/2	119.00	
2" x 4" x 72"	056654	72"	2" x 4"	12-1/2	141.00	

Utility Welded Wire Fabric - Domestic


Feet per roll: 50

DESCRIPTION	PART NO. GREEN	PART NO. BLACK	PART NO. BROWN	GAUGE	WEIGHT EA.	NOTES
2" x 4" x 60"	—	517603	—	14	38.00	
1" x 1" x 48"	518801	518802	—	15	30.00	



Feet per roll: 100


1" x 1" x 36"	—	056723	—	14	50.00	
2" x 3" x 48"	056711	056712	—	14	19.00	
1-1/2" x 4" x 48"	518791	518792	—	14	74.50	
2" x 4" x 60"	517733	517602	—	14	76.00	



Utility Welded Wire Fabric - Import

Feet per roll: 50

DESCRIPTION	PART NO. GREEN	PART NO. BLACK	PART NO. BROWN	GAUGE	WEIGHT EA.	NOTES
2" x 4" x 36"	056721	011534	011511	14	23.00	
2" x 4" x 48"	056741	056742	011512	14	30.00	



Feet per roll: 100

2" x 4" x 36"	056731	056732	056733	14	46.00	
2" x 4" x 48"	056751	056752	056753	14	60.00	

Feet per roll: 50
Rolls per pallet: 25

STYLE	PART NO.	HEIGHT	STRANDS	STAY SPACING	WEIGHT EA.	NOTES
2360 -6 - 14-1/2 ga.	056503	60"	23	6"	79.00	
2672 - 6 - 14-1/2 ga.	056504	72"	26	6"	114.00	

[illegible]

Feet per roll: 100

STYLE	PART NO.	HEIGHT	MESH SIZE	GAUGE	WEIGHT EA.	NOTES
2" x 2" x 48" 16ga.	000X27	48"	2" x 2"	16	64.00	

Feet per roll: 100

DESCRIPTION	PART NO.	HEIGHT	MESH SIZE	GAUGE	WEIGHT EA.	NOTES
			W x H			
1/4" x 1/4" x 36"	008520	36"	1/4" x 1/4"	23	45.18	
1/4" x 1/4" x 48"	008527	48"	1/4" x 1/4"	23	60.26	

A blank 20x20 grid for graphing.

Feet per roll: 100

DESCRIPTION	PART NO. BLACK	HEIGHT	MESH SIZE W x H	GAUGE	WEIGHT EA.	NOTES
1/4" x 1/4" x 24"	009030	24"	1/4" x 1/4"	23	36.50	
1/4" x 1/4" x 36"	008761	36"	1/4" x 1/4"	23	45.18	
1/2" x 1/2" x 36"	236T00	36"	1/2" x 1/2"	19	44.00	
1/4" x 1/4" x 48"	008762	48"	1/4" x 1/4"	23	60.26	
1/2" x 1/2" x 48"	533Y00	48"	1/2" x 1/2"	19	84.00	

A blank 20x20 grid of squares, intended for graphing the function.

Hog Panel / Pre-Galvanized Wire with Hot Dipped Zinc Coating

DESCRIPTION	PART NO.	HEIGHT	LINE WIRES	GAUGE	WEIGHT EA.	NOTES
34" x 16'	036131	34"	11	4	29.00	

	6"
	6"
	5"
	4"
	3"
	2"
	2"
	2"
	2"

Sheep and Goat Panel / Pre-Galvanized Wire with Hot Dipped Zinc Coating

DESCRIPTION	PART NO.	HEIGHT	LINE WIRES	GAUGE	WEIGHT EA.	NOTES
42" x 16'	484B00	42"	13	4	51.00	

	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"

Combo Panel / Pre-Galvanized Wire with Hot Dipped Zinc Coating

DESCRIPTION	PART NO.	HEIGHT	LINE WIRES	GAUGE	WEIGHT EA.	NOTES
50" x 16'	056322	50	13	4	42.00	

	6"
	6"
	6"
	6"
	6"
	6"
	4"
	4"
	3"
	3"
	2"
	2"
	2"

Cattle Panel / Pre-Galvanized Wire with Hot Dipped Zinc Coating

DESCRIPTION	PART NO.	HEIGHT	LINE WIRES	GAUGE	WEIGHT EA.	NOTES
50" x 16'	000V11	50"	10	4	35.00	

	6"
	6"
	6"
	6"
	6"
	6"
	6"
	6"
	6"
	4"

Utility Panels / Pre-Galvanized Wire with Hot Dipped Zinc Coating

DESCRIPTION	PART NO.	HEIGHT	LINE WIRES	GAUGE	WEIGHT EA.	NOTES
48" x 16'	006216	48"	16	6	38.00	
60" x 16'	011635	60"	16	6	49.00	
60" x 20'	287Y00	60"	16	6	59.00	

	6"
	6"
	6"
	6"
	6"
	6"
	6"
	4"
	4"

Horse Panels / Pre-Galvanized Wire with Hot Dipped Zinc Coating


DESCRIPTION	PART NO.	HEIGHT	LINE WIRES	GAUGE	WEIGHT EA.	NOTES
60" x 16'	000P81	60"	16	6	70.19	
68" x 24'	023315	68"	18	6	111.93	

	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"
	4"

Farm Gate 6 Rail - Import / 1-3/4" Diameter Tube Frame

DESCRIPTION	PART NO.	HEIGHT	TUBE GAUGE	WEIGHT EA.	NOTES
4' Wide	011553	50"	19	17.00	
6' Wide	011554	50"	19	26.00	
8' Wide	011528	50"	19	34.00	
10' Wide	011529	50"	19	42.00	
12' Wide	011530	50"	19	51.00	
14' Wide	011531	50"	19	60.00	
16' Wide	011532	50"	19	69.00	
18' Wide	011533	50"	19	78.00	


NOTE: Includes hardware.



Farm Gate 6 Rail / 1-3/4" Diameter Welded Steel Tube Construction • 10" Horizontal Bar Spacing

DESCRIPTION	PART NO.	HEIGHT	TUBE GAUGE	WEIGHT EA.	NOTES
4' Wide	036004	50"	19	18.00	
6' Wide	036005	50"	19	26.00	
8' Wide	036006	50"	19	35.00	
10' Wide	036007	50"	19	43.00	
12' Wide	036008	50"	19	51.00	
14' Wide	036009	50"	19	60.00	
16' Wide	036010	50"	19	68.00	
18' Wide	036011	50"	19	78.00	

NOTE: Includes 2 hinges with 5/8" x 6" screw hooks.
Does not include 5/8" x 12" hinge bolt.



Farm Gate 6 Rail / 2" Diameter Tube Frame • Green Powder Coated

DESCRIPTION	PART NO.	HEIGHT	TUBE GAUGE	WEIGHT EA.	NOTES
10' Wide - Green	021083	50"	16	43.00	
12' Wide - Green	021084	50"	16	51.00	
14' Wide - Green	021085	50"	16	60.00	
16' Wide - Green	021086	50"	16	68.00	

NOTE: Includes hardware.
Out-to-out is 4" shorter than gate opening width shown above




Wire-Filled Farm Gates / 1-3/4" 18 ga. Diameter Tube Frame • Gray Powder Coated

DESCRIPTION	PART NO.	HEIGHT	WIRE HEIGHT	WEIGHT EA.	NOTES
4' Wide - Gray	020540	50"	34"	27.00	
6' Wide - Gray	020542	50"	34"	35.00	
8' Wide - Gray	020544	50"	34"	45.00	
10' Wide - Gray	020546	50"	34"	54.00	
12' Wide - Gray	020548	50"	34"	61.00	
14' Wide - Gray	020550	50"	34"	71.00	
16' Wide - Gray	020552	50"	34"	83.00	

NOTE: Includes 2 hinges with 5/8" x 6" law screws.

NOTE: Out-to-out is 4" shorter than gate opening width shown above



Wire-Filled Farm Gates - Import / 1-3/4" 19 ga. Galvanized Tube

DESCRIPTION	PART NO.	HEIGHT	MESH SIZE	WEIGHT EA.	NOTES
			W X H		
4' Wide	011711	50"	2" x 4"	26.00	
6' Wide	011712	50"	2" x 4"	35.00	
8' Wide	011713	50"	2" x 4"	44.00	
10' Wide	011714	50"	2" x 4"	53.00	
12' Wide	011715	50"	2" x 4"	61.00	
14' Wide	011716	50"	2" x 4"	72.00	
16' Wide	011717	50"	2" x 4"	83.00	

NOTE: With hardware

